Justrite Safety Group

# Drainage Anti-Fatigue Mat Cushion-Tred™ 543

Starting at
**$53.00**

## Product Images











## Short Description

- Resilient natural rubber compound withstands many common industrial cutting oils and chemicals
- Flexible cushioning design provides maximum comfort
- Large hole configuration facilitates drainage and resists clogging
- Raised mini-diamond studs on top surface minimize slippage
- Square edges on all 4 sides

## Description

Cushion-Tred™ is made from a resilient rubber compound that can withstand many of the commonly found industrial chemicals, cutting fluids, oils, and greases. A large hole drainage system facilitates the removal of liquid and debris from the work area. Design is compatible with the Notrax® M.D. Ramp System for greater ease onto or off of the mat.

## Specifications

| | |
|---|---|
| Model No | 543 |
| Brand | NoTrax |
| Available Colors | Black |
| Thickness | 7/8" |
| Overall Thickness | 7/8 |
| Standard sizes | 2'x 3'; 3'x 3'; 3'x 5' |
| Group | Ergonomic, Anti-fatigue & Safety Matting |
| Environment | Wet/Dry and Oily Areas |
| Recommended Use | For placement in manufacturing plants, production lines, assembly lines, CNC machines, metal working for individual workstations and custom work platforms |
| Special Remarks | Use with 551 M.D. Ramp System® for easy access onto or off of the mat. |
| Edges | No borders |
| Usage Intensity | Heavy duty |
| Material Specifications | Natural rubber |
| Surface Detail | Large Drainage Holes |
| Mat Type | Work Station |
| Process | Compression Molding |
| Weight Lbs/sqft | 2.5 |
| Fire Rating US | Pass |
| REACH Compliant | Reach compliant (Registration, Evaluation, Authorization and Restriction of Chemicals). |
| Anti-Fatigue Rating | Best |
| Slip Resistance Rating | Best |
| Wear Resistance Rating | Best |

## Prop 65

⚠**WARNING:**This product can expose you to chemicals including diisodecyl phthalate which is known to the State of California to cause birth defects or reproductive harm. For more information, visit www.P65Warnings.ca.gov.

## Product Options

| | |
|---|---|
| Dimensions: | 2ft x 3ft |
| | 3ft x 3ft |
| | 3ft x 5ft |